

Bangladesh Standards and Testing Institution

Member ISO,OIML,APMP,BIPM & Codex Alimentarius Commission of FAO/WHO

Ministry of Industries Government of the People's Republic of Bangladesh

Ref. 36.05.018.01.01.1186.2015/ (14349)



Date: 17-09-2020

Office Order

The undersigned is directed to inform that the authority of BSTI is pleased to grant ex-Bangladesh study leave to Mrs. Moriom, Inspector (Metrology), for study in Master of Engineering in the Deakin University, Australla from 30-09-2020 to 29-09-2022 (2 years) without pay as per BSTI regulations section 25 (3) under the following terms and conditions.

Terms & Conditions:

- a) All expenses in this connection will be borne by the stipend providing organization.
- b) There will be no financial involvement of the Government or the Institution regarding his travel or any other purpose.
- c) He will not be allowed to draw his pay and allowances in foreign currency.
- d) He will not get any pay and allowances during this period.
- 2. This order is issued in accordance with the order no. 36.00.0000.067.08.017.20.77, dated: 06-09-2020 of the Ministry of Industries, Govt. of the Peoples Republic of Bangladesh.

(Ashit Barua)
Deputy Director (Admin-1)

Phone: 8870887

Distribution:

Mrs. Moriom, Inspector (Metrology), BSTI Divisional Office, Sylhet.

Distribution for kind information & necessary action:

- Sr. Secretary, Ministry of Industries, Govt. of the People's Republic of Bangladesh, Shilpa Bhaban, Motijheel C/A, Dhaka.
 (Attn: Md. Maksudur Rahman, Asstt. Secretary).
- 2. Director General, BSTI, Dhaka.
- 3. Director General, Department of Immigration & Passport Division, Dhaka.
- 4. Director (Metrology), BSTI, Dhaka.
- 5. Deputy Director(CM) & Office Head, BSTI Divisional Office, Sylhet.
- 6. Immigration Officer, Hazrat ShahJalal International Airport, Dhaka.
- 7. Australia Embassy, Dhaka.

C: Usors Admin Desktop ORDER (F. LEAVE) ENGLISHLdoc

- 8. Deputy Director (Admin-2), BSTI, Dhaka.
- 9. ICT Cell, BSTI, Dhaka (Please incorporate in the website)